



DETAILS AND QUOTATION



NAME : AUTOMATIC HIGH SPEED WINDOW PATCHING MACHINE

PRICE : FOB TIANJIN PORT US MODEL TC-1060

**PAYMENT:T/T(30% DOWN PAYMENT , BALANCE ALL THE PAYMENT
BEFORE DELIVERY)**

**NOTICE: THE PRICE NOT INCLUDE THE COST OF INSTALLATION .
THE PRICE IS ONE SIDE WORKING MACHINE**

QUOTATION DATE :

VALIDITY OF THE QUOTATION: 30 DAYS

DELIVERY TIME: 30 DAYS AFTER THE DOWN PAYMENT ARRIVED .

PACKAGE: 20 FEET CONTAINER

WARRANTY: ONE YEAR

MOQ : ONE

COUNTRY OF ORIGIN: CHINA

PORT OF LOADING : TIANJIN PORT

HS CODE : 84413090

SPECIFICATION:

MODEL	TC-1060
MAX. PAPER SIZE	1100*600MM
MIN. PAPER SIZE	200*140MM
MAX. FILM SIZE	500*480MM
MIN. FILM SIZE	30*60MM
FILM SHEET THICKNESS	0.05-0.20MM



MAX WORKING SPEED
CARDBOARD
CORRUGATED PAPER
TOTAL POWER
TOTAL WEIGHT
OVERALL DIMENSION


7600S/H
200-500G/ m²
≤4MM
10KW
3T
5258*1860*1688MM

ADVANTAGES:

NO1:

私服给纸系统

FEED UNIT : SERVO SYSTEM , MORE STABLE .



HERE IS THE SERVO MOTOR

BELOW THE FEEDING UNIT .

NO2:

停机不停胶

Machine stop , gluing not stop .

可以局部上胶，胶量可调，且调整方便

Glue part or the whole both Ok , the glue can be adjusted conveniently



NO3:

洗胶可拉

Washing glue easily : the roller can be pull out



NO4:

调胶板位聚四氟材料，不粘胶，易清洁

THE ADJUST GLUE BOARD MADE BY PTFE (POLY TETRA FLUOROETHYLENE) , EASY TO BE CLEAN ,GLUE NOT EASY ON IT .



NO5:


剪刀式切膜，声音小噪音低，省刀。

TWO KNIVES CUT THE FILM SIMILAR AS THE SISSOR , PROTECT KNIFE TO AVOID DAMAGE , LOW NOICE

THE TOP KNIFE



THE BOTTOM KNIFE




THE UP KNIFE MOVE , THE BOTTOM KNIFE NOT MOVE , WHEN THE UP KNIFE MOVE TO THE DOWN KNIFE , THE FILM BE CUT TO SEPARATE.

NO6:

机器运转时，能调整膜的左右位置

THE FILM LOCATION (LEFT OR RIGHT) CAN BE ADJUSTED BY THE KNOB DURING MACHINE RUNNING .






NO7:

手扭调整纸张在皮带上的前后位置，精准对位贴膜

PAPER POSITION ADJUSTMENT BY THE KNOB , PAPER TO THE FILM ON THE RIGHT POSITION .






N08:

胶位前后调整

GLUING POSITION ADJUSTMENT







NO9:

胶筒左右调整，手扭每转一圈 胶筒动 2MM

THE RUBBER CYLINDER LEFT AND RIGHT ADJUSTMENT , EACH CIRCLY , THE RUBBER CYLINDER MOVE 2MM.








NO:10

触摸屏输入切膜尺寸，私服电机自动调整切膜尺寸，切膜精度高正负 **0.2MM**

THE SIZE OF THE FILM FOR CUTTING CAN INPUT THE TOUCH SCREEN, THE SERVO MOTOR ADJUST THE SIZE AUTOMATIC, THE PRECISION 0.2MM







NO11:

带孔输送带，下面配吸风，吸附纸张，确保走纸稳定，上胶贴膜精准

THE ONE WHOLE BELT WITH HOLE , VACCUM PUMP HELP THE PAPER RUN STABLE, GLUE THE FILM TO THE WINDOW MORE PRECISION







NO12:

光电检测，无纸是皮带向下移动，避免皮带上粘胶

THE SENSOR TEST IF ANY PAPER ON THE BELT , IF NO PAPER , THE BELT GO DOWN TO AVOID ANY GLUE ON THE BELT .





NO13:

给纸皮带为尽快橡胶，摩擦力好，进纸顺畅

**THE BLET AND GOOD QUALITY BELT WHICH THE RUBBER IS IMPORTED ,
PAPER CAN RUN SMOOTHLY.**



NO14:

第一个光电停纸检测， 第二个双张检测


THE FIRST SENSOR TEST PAPER STOP , THE SECOND TEST IF ANY TWO PAPER RUN TOGETHER . THE SENSOR ARE GOOD QUALITY , BRAND SICK , DIFFERENT COLOR NO PROBLEM



NO15:

便捷支架，省力


ONE MORE BRACKET HERE , MORE CONVENIENT .




No16:

吸位前后调整，只需一个螺丝拧动，简单方便，有些公司需要动四个螺丝

SUCTION POSITION ADJUSTMENT ONLY NEED TURN ONE SCREW , EASY AND CONVENIENT , SOME OTHER COMPANIES NEED FOUR SCREWS AND NEED SPECIAL TOOL .





NO17:

两部分皮带速度可以同步 也可以异步。

THE TWO DIFFERENT PARTS, SPEED CAN BE SAME , ALSO CAN BE ADJUSTED DIFFERENT .



SINO CORRUGATED IN SHANGHAI 8-11TH APRIL 2019



MAIN PARTS

NO	NAME	MODEL	BRAND	COUNTRY
1	SNSOR	GTE6-N1212	SICK	GERMANY
2	INTERMIDATE RELY	MY2N-GSDC24V	OMRON	JAPAN
3	PROXIMITY SWITCH	Q5MC1	OMRON	JAPAN
4	AC CONTACTOR	LCI-NO910M5NILCI-N1210M5N	SCHNEIDER	FRANCE
5	AC CONTRACTOR	2CI-E1210	SCHNEIDER	FRANCE

6	INCHING BUTTON	ZEZBA2C	SCHNEIDER	FRANCE
7	RUNNING BUTTON	2B2BABC	SCHNEIDER	FRANCE
8	EMERGENCY STOP BUTTON	ZBZ-BS54C	SCHNEIDER	FRANCE
9	POWER SWITCH	D-130-24	MINGWEI	TAIWAN
10	CIRCUIT BREAKER	ABS-53B-50AB	LS	SOUTH KOREA
11	CIRCUIT BREAKER	BKN3PD10A	LS	SOUTH KOREA
12	CIRCUIT BREAKER	BRW2PD10A	LS	SOUTH KOREA
13	CIRCUIT BREAKER	BKNP2PD10ABKNIPD 6A	LS	SOUTH KOREA
14	VACUUM PUMP	ZYBY80E	EUROVAC	TAIWAN
15	PLC	H2U-246MR-XP	INOVANCE	CHINA
16	TOUCH SCREEN	IT6070T	INOVANCE	CHINA
17	INVERTER	MD310T2.2B	INOVANCE	CHINA
18	INVERTER	MD200T0.75B	INOVANCE	CHINA
19	SERVO MOTOR	ISMH3-13C15CD	INOVANCE	CHINA
20	SERVO MOTOR	MS1H1-75B30CB	INOVANCE	CHINA
21	ENCODER		KUBLER	GERMANY



Bank Information

Bank Name: BANK OF CHINA YUTIAN BRANCH

SWIFT CODE: BKCHCNBJ23H

**Beneficiary Name: Tangshan Eichler Trading Co.,ltd
Matoushan Industrial Park , North of Yutian Town , Yutian
County , Tangshan City ,Hebei Province ,
China .**

Account Number: 100804188207

Tangshan Eichler Trading Co.,ltd

**Address: Matoushan Industrial Park , North of Yutian Town , Yutian County , Tangshan
City , Hebei Province . China .**

Website: www.cneichler.com

Tel: 15097556527 , 18632539399

**Whatsapp: 18632539399 , Wechat: 15097556527 , Skype: supplymachine
QQ:519946479**

Email: salesbenleee@vip.163.com , eichler@vip.163.com