

# TWO PIECES FOLDER GLUER



# SPECIFICATIONS:

Model YS2400C

Max paper size 1200\*1300mm Min paper size 430\*220mm

Speed 3600 pieces/hour (depends on the people fold)

Power 11kw Weight 2.6T

Overall size 3300\*3600\*1500mm

PRICE:

PAYMENT: T/T( 30% PREPAID, BALANCE ALL THE PAYMENT BEFORE DELIVERY )

NOTICE: THE PRICE NOT INLCUDE THE COST OF ENGINEER

**QUOTATION DATE:** 

**VALIDITY OF THE QUOATION: 30 DAYS** 

DELIVERY TIME: 30 DAYS AFTER THE DOWN PAYMENT ARRIVED.

PACKAGE: 40 FEET CONTAINER
WARRANTY: ONE YEAR
MOO : ONE

COUNTRY OF ORIGIN: CHINA

PORT OF LOADING: TIANJIN PORT HS CODE: 84413090



# **Partial description**

## I. Feeding Unit



The paper feeding department adopts whirlpool wind pump to feed paper to increase the friction;

the imported cowrie belt with high friction paper does not slip, good wear resistance,

and the material does not change in winter and summer; the digital adjustment of paper feeding length is accurate and stable;

the paper feeding belt wall plate combination adopts linear bearings with quenched chrome plated rods to adjust left and right, easy to move.



#### 2. Gluing Section



The gluing department adopts hot melt glue + sealing glue double coating method,

hot melt glue is quickly fixed and does not go out of position, sealing glue adhesion reinforcement,

to ensure that the paper in the high temperature and cold environment can be permanently sticky;

hot melt glue box is made of cast aluminum alloy die-casting, heating and heat transfer speed;

cold glue box adopts stainless steel glue box corrosion resistance; cold and hot glue wheel and with the assembly parts are made of stainless steel.



## 3, Main machine paper delivery unit



The paper feeding section of the main machine adopts four paper belt wall plates that can be adjusted to move;

the paper pressing device adopts a combination of pressure-adjustable insulating rubber wheels to receive and feed paper,

and the shaped paper can be moved back and forth according to its shape to ensure synchronous and stable paper receiving and paper feeding without slipping;

the single sheet in place etc. paper anti-scratch paper stopping electric control function can avoid the single sheet in place etc.

paper abrasion phenomenon caused by the paper going successively / length difference between the two sheets.



## 4, Main Side push paper positioning section



Side pushing paper positioning department on both sides of the patting paper using two sets of servo system drive four sets of precision ball screw side pushing positioning,

according to the paper edge pressure strength to adjust the side pushing movement cycle time fast and slow,

to ensure that the paper gluing alignment accurate, stable, not to hurt the paper edge



## **5, Digital Smart Side Gauge Adjustment**

	纸柜	医设定			
	当前值	设定值			
B宽度	640	500	mm	定位	校定
A宽度	1272	1100	mm	定位	校定
Ви	1寬度手动	开 .	合		
Avi	1寬度手动	开			返回

Electric adjustment saves time and effort,

digital intelligent adjustment of side push A gauge and B gauge position,

digital adjustment for single change is efficient and convenient.



## 6, Intelligent front gauge flush paper section




The front gauge flush section adopts PLC-controlled servo system for precise digital positioning of the front gauge position, and the man-machine interface can store orders and adjust them digitally with one key,

ensuring short order change time and high efficiency.



## 7, Electrical Department



The electrical department adopts PLC system control, and the electrical control components adopt international famous brands to ensure the high efficiency and stability of the electrical system;

the human-machine dialogue operation interface, automatic display of fault diagnosis, digital operation and adjustment are simple and convenient.



#### MAIN PARTS BRAND AND PLACE

Configur	ation Sheet		
名称	品牌	产地	
Name	Brand	Place	
PLC	Samkoon (显控)	台湾 Taiwan	
人机界面 Screen	Samkoon (显控)	台湾 Taiwan	
低压电器	施耐德	法国 FRANCE	
Low voltage appliances	Schneider		
滚珠丝杠	TBI	台湾 Taiwan	
Ball Screws			
变频器	士林 SHIHLIN	台湾 Taiwan	
Frequency converter			
伺服电机	中创天勤 tianqian	北京 Beijing/CHINA	
Servo Motor			
主电机	猛牛 Mengniu	衡水 Hengshui/	
Main Motor		CHINA	
减速电机	万鑫 Wangxin	台湾 Taiwan	
Speed Reducing Motor			
传感器 Sensor	欧姆龙 Omron	日本Japan	
吸风风泵	恒力 Hengli	浙江 zhejiang	
关键部件轴承	键部件轴承 NSK		
Key component bearings			
普通部件轴承	HRB/人本	哈 尔 滨 Harbin/ 浙 江	
General component bearings	zhejiang		



**Bank Information** 

Bank Name: BANK OF CHINA, YUTIAN BRANCH

Bank Address: NO.58 Wuzhong East Street, Yutian County, Tangshan City

**SWIFT CODE: BKCHCNBJ23H** 

CNAPS NO: 104124900016

Beneficiary Name: Tangshan Eichler Trading Co.,ltd

Matoushan Industrial Park, North of Yutian Town, Yutian County,

Tangshan City, Hebei Province, China

**Account Number: 100804188207** 

Tangshan Eichler Trading Co.,ltd

Address: Matoushan Industrial Park, North of Yutian Town, Yutian County, Tangshan City, Hebei

Province. China.

Website: www.cneichler.com

Tel: 15097556527 , 18632539399

Whatsapp: 18632539399 , Wechat: 15097556527 , Skype: supplymachine QQ:519946479

Email: salesbenleee@vip.163.com , eichler@vip.163.com

eichlermachine@gmail.com